Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	oki.as. and (numerical or number or measure or measurement) with (expression or input or string) and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/13 08:36
L2	18	oki.as. and (numerical or number or measure or measurement) with (expression or input or string) and document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:37
L3 ·	1349	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:39
L4	138	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/13 08:47
L5	50	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:48
L6	67	(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:03
L7		(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement or numeric) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:05

L8	85	(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement or numeric) with (expression or input or string or statement) and document and database and attribute and prefix and dimension\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:07
L9	2	"6457004".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:15
L10	1	complet\$4 with expression and pars\$3 with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:17
L11	3	complet\$4 with (sentence or phrase or word or statement or string or entry) and pars\$3 with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:18
L12	5	complet\$4 with (sentence or phrase or word or statement or string or entry) and (extract\$3 or pars\$3) with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:23
L13	1	complet\$4 with (sentence or phrase or word or statement or string or entry) and (extract\$3 or pars\$3) with structure with document and database and prefix and attribute and "meter" and "gram"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:34
L14	6631	sasaki.in. and numer\$\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:36
L15	6551	sasaki.in. and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:36

L16	0	(sasaki.in. with ikeno.in.) and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:37
L17	7	(sasaki.in. and ikeno.in.) and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:37
L18	3	(sasaki.in. and ikeno.in.) and quantit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/13 09:39
L19	1	"quantitative expression search device"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:39
L20	30	"quantitative expression" with (input or search\$3 or retriev\$4 or quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:40
L21	115	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:43
L22	74	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3) and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:43
L23	30	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/13 09:43

L24	21	measurement with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:44
S24 9	0	"unit of measure" or "unit of measrement"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 15:10
S25 0	0	"unit of measure" or "unit of measurement"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2008/02/11 15:26
S25 1	75	parsing with ("number" or "digits" or unit) with dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/11 15:34
S25 2	75	parsing with ("number" or "digits" or unit or mathematic\$\$) with dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 15:36
S25 3	75	parsing with ("number" or "digits" or unit or mathematic\$4) with dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 15:36
S25 4	75	parsing with ("number" or "digits" or unit or mathematic\$4) with dictionary and ("number" or "digits" or unit or mathematic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 15:39
S25 5	0	"6205456".pn. and lexical\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 19:53

						2000/02/11 12 22
S25 6		"6205456".pn. and lexica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 19:53
S25 7	. 2	"20040260674".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 08:28
S25 8	164	pars\$3 with ("number" or "digits" or unit or mathematic\$4 or figure or measurement) with dictionary and ("number" or "digits" or unit or mathematic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:01
S25 9	0	"6049796".pn. and pars4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:01
S26 0	0	"6049796".pn. and pars\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/12 13:02
S26 1	2	"6049796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:02
S26 2	139	pars\$3 with ("number" or "digits" or symbol or mathematic\$4 or currency or measurement) with dictionary and ("number" or "digits" or unit or mathematic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:10
S26 3	23	pars\$3 with ("number" or "digits" or symbol or mathematic\$4 or currency or measurement) with dictionary and ("number" or "digits" or mathematic\$4 or currency or measurement) and (co\$occurence or occurence or frequen\$3) same document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:13

S26 4	45	pars\$3 with ("number" or "digits" or symbol or mathematic\$4 or currency or measurement) with dictionary and ("number" or "digits" or mathematic\$4 or currency or measurement) and (co\$occurence or occurence or frequen\$3) and document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:35
S26 5	288	"control device" with "electrical motor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:13
S26 6	32	"control device" with "electrical motor" and velocity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:13
S26 7	14	"control device" with "electrical motor" and velocity and (stop or halt or breaker or cut or shut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:19
S26 8	64	"control device" same "electrical motor" and velocity and (stop or halt or breaker or cut or shut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:19
S26 9	0	"Units of Measurement"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:31
S27 0	10398	"Units Measurement"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:31
S27 1	0	Units with Measurement with dictionary and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2008/02/12 14:31

			110 000:15	00	ON	2000/02/12 14:22
S27 2	5	Measurement with dictionary and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:32
S27 3	0	"metric system" with dictionary and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:32
S27 4	13	metric with dictionary and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:34
S27 5	1	(meter or gram) with dictionary with pars\$3 and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:39
S27 6	0	currency with dictionary with pars\$3 and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:43
S27 7	14	currency with pars\$3 and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 14:58
S27 8	597	(weight or currency or number or numerical) with pars\$3 and document and database and (predic\$4 or complet\$4 or translat\$4 or conver\$6) and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 15:00
S27 9	262	(weight or currency or number or numerical) with pars\$3 and document with database and (predic\$4 or complet\$4 or translat\$4 or conver\$6) and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 15:01

S28 0	30	(weight or currency or number or numerical) with pars\$3 same (predic\$4 or complet\$4 or translat\$4 or conver\$6) and document with database and (predic\$4 or complet\$4 or translat\$4 or conver\$6) and dictionary and extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 15:01
S28 1	234	(weight or currency or number or numerical) with (extract\$4 or pars\$3) same (predic\$4 or complet\$4 or translat\$4 or conver\$6) and document with database and (predic\$4 or complet\$4 or translat\$4 or conver\$6) and dictionary and extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 17:56
S28 2	57	(weight or currency or number or numerical) with (extract\$4 or pars\$3) with (prediction or complet\$4 or translat\$4 or conver\$6) and document with database and (predic\$4 or complet\$4 or translat\$4 or conver\$6) and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 17:59
S28 3	57	(weight or currency or number or numerical) with (extract\$4 or pars\$3) with (prediction or complet\$4 or translat\$4 or conver\$6) and document with database and (prediction or complet\$4 or translat\$4 or conver\$6) and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 17:59
S28 4	32	(JDF or JMF) with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:01
S28 5	0	currency with conversion with dictionary and database with document and parsing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:05
S28 6		currency with dictionary and database with document and parsing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:05

S28 7	0	currency with database with document with parsing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:06
.S28 8		currency with database with document with (pars\$4 or extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:06
S28 9	19	product with database with document with (pars\$4 or extract\$4) with (symbol or code or number or digit or weight or measure or meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:07
S29 0	19	product with database with document with (pars\$4 or extract\$4) with (symbol or code or number or digit or weight or measure or meter or quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:09
S29 1	19	(product or price) with database with document with (pars\$4 or extract\$4) with (symbol or code or number or digit or weight or measure or meter or quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 18:11
S29 2	247 ·	database with document with (pars\$4 or extract\$4) with (symbol or "product code" or number or digit or weight or measure or meter or quantity or price)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 19:56
S29 3	46	database with document with (pars\$4 or extract\$4) with (symbol or "product code" or number or digit or weight or measure or meter or quantity or price) and dictionary and complet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 20:36
S29 4	295	database and document with (pars\$4 or extract\$4) with (symbol or "product code" or number or digit or weight or measure or meter or quantity or price) and dictionary and complet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/12 20:59

S29 5	78	database and document with (pars\$4 or extract\$4) with (symbol or "product code" or number or digit or weight or measure or meter or quantity or price) and dictionary and complet\$4 with (input or expression or string)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 21:03
S29 6	15583	oki.as. and (numerical or number or measure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 21:26
S29 7	9	oki.as. and (numerical or number or measure) with (expression or input or string) and document with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/12 21:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	18	oki.as. and (numerical or number or measure or measurement) with (expression or input or string) and document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:37
L3	1349	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:39
L4	138	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:47
L5	- 50	(extract\$4 or pars\$3) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 08:48
L6	67	(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/13 09:03
L7	69	(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement or numeric) with (expression or input or string or statement) and document and database and attribute and prefix and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:05
L8	85	(extract\$4 or pars\$3 or complet\$4) with (numerical or number or measure or measurement or numeric) with (expression or input or string or statement) and document and database and attribute and prefix and dimension\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:07

L9	2	"6457004".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:15
L10	1	complet\$4 with expression and pars\$3 with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:17
L11	3	complet\$4 with (sentence or phrase or word or statement or string or entry) and pars\$3 with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:18
L12	5	complet\$4 with (sentence or phrase or word or statement or string or entry).and (extract\$3 or pars\$3) with structure with document and database and prefix and attribute and "basic unit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:23
L13	.1	complet\$4 with (sentence or phrase or word or statement or string or entry) and (extract\$3 or pars\$3) with structure with document and database and prefix and attribute and "meter" and "gram"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:34
L14	6631	sasaki.in. and numer\$\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:36
L15	6551	sasaki.in. and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:36
L16	0	(sasaki.in. with ikeno.in.) and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:37

L17	. 7	(sasaki.in. and ikeno.in.) and numer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:37
L18	3	(sasaki.in. and ikeno.in.) and quantit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:39
L19		"quantitative expression search device"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:39
L20	30	"quantitative expression" with (input or search\$3 or retriev\$4 or quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:40
L21	115	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:43
L22	74	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3) and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:43
L23	30	quantitative with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:43
L24	21	measurement with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 09:44

,			_		,	
L25	2	"6820075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:02
L26	1	measurement with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/13 10:19
L27	137	(length or weight or measurement or size or quantity or product or price) same expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	O <u>R</u>	ON	2008/02/13 10:29
L28	70	(length or weight or measurement or size or quantity or product or price) with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:37
L29	2	"6128635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 10:48
L30	70	(length or weight or measurement or size or quantity or product or price or "non-text") with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/13 10:51
L31	70	(length or weight or measurement or size or quantity or product or price or "non-text" or inventory) with expression with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:15
L32	. 2469	(length or weight or measurement or size or quantity or product or price or "non-text" or inventory) with (input or search\$3 or retriev\$4 or quer\$3) and database and document and (prefix or pre\$fix) and (pars\$3 or extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:19

L33	198	(length or weight or measurement or size or quantity or product or price or "non-text" or inventory) with (input or search\$3 or retriev\$4 or quer\$3) with (pars\$3 or extract\$4)and database and document and (prefix or pre\$fix) and (pars\$3 or extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 11:21
L34		(length or weight or measurement or size or quantity or product or price or "non-text" or inventory) with (input or search\$3 or retriev\$4 or quer\$3) with (pars\$3 or extract\$4)and database and document and (prefix or pre\$fix) same (pars\$3 or extract\$4) and dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/13 11:23